

Part No. **AL-103W5W-002**


Diff No. 002

10 mm

Round

Type : LED Lamps

## ■ Package Dimension:



## ■ Features :

- Choice of various viewing angles.
- Available on Tape and Reel.
- Reliable and robust.

## ■ Descriptions :

- The series is specially designed for application requiring higher brightness.
- The LED lamps are available with different color, intensities, epoxy colors etc.

## ■ Applications :

- TV set
- Monitor
- Telephone

Part No. **AL-103W5W-002**

Diff No. 002

10 mm

Round

Type : LED Lamps

LED Parts P/N.	Chip		Lens Color
	Material	Emitted Color	
AL-103W5W-002	InGaN	White	White

■ Absolute Maximum Ratings at Ta=25°C

Parameter	Symbol	Rating	Unit
Continuous Forward Current	$I_F$	30	mA
Operating Temperature	$T_{opr}$	-40 to +85	°C
Storage Temperature	$T_{stg}$	-40 to +100	°C
Soldering Temperature	$T_{sol}$	260 ± 5	°C
Power Dissipation	$P_D$	120	mW
Peak Forward Current (Duty 1/10@1KHz)	$I_{FP}$	100	mA
Reverse Voltage	$V_R$	5	V

■ Electronic Optical Characteristics :

Parameter	Symbol	Min.	Typ.	Max.	Unit	Condition
Luminous Intensity	$I_v$	2000	3000	/	mcd	$I_F=20mA$
Viewing Angle	$2\theta_{1/2}$	/	60	/	deg	$I_F=20mA$
Chromatically Coordinates	X	/	0.31	/	/	$I_F=20mA$
	Y	/	0.32	/		
Forward Voltage	$V_F$	/	3.2	3.8	V	$I_F=20mA$
Reverse Current	$I_R$	/	/	10	μA	$V_R=5V$

Part No. **AL-103W5W-002**

Diff No. 002

10 mm

Round

Type : LED Lamps

**■ Reliability test items and conditions :**

The reliability of products shall be satisfied with items listed below.

Confidence level: 90%

LTPD: 10%

NO	ITEM	Test Conditions	Test hours/cycle	Sample Q'ty	Ac/Re
1	Solder Heat	Temp : 260°C±5°C	5 sec	76 pcs	0/1
2	Temperature Cycle	H : +85°C 30min λ 5min L : -55°C 30min	50 cycles	76 pcs	0/1
3	Thermal Shock	H : +100°C 5min λ 10min L : -10°C 5min	50 cycles	76 pcs	0/1
4	High Temperature Storage	Temp : 100°C	1000 hrs	76 pcs	0/1
5	Low Temperature Storage	Temp : -55°C	1000 hrs	76 pcs	0/1
6	DC Operating Life	Temp : 25°C I <sub>F</sub> =20mA	1000 hrs	76 pcs	0/1
7	High Temperature / High Humidity	85°C / 85%RH	1000 hrs	76 pcs	0/1

Part No. **AL-103W5W-002**

Diff No. 002


10 mm

Round


Type : LED Lamps

■ **Typical electro-optical characteristics curves :**


The data typical and the value are not guaranteed.




**RADIATION DIAGRAM**




**RELATIVE LUMINOUS INTENSITY Vs. WAVELENGTH**




**LUMINOUS INTENSITY Vs. AMBIENT TEMPERATURE**



**MAX FORWARD CURRENT Vs. AMBIENT TEMPERATURE**



**FORWARD CURRENT Vs. FORWARD VOLTAGE**



**LUMINOUS INTENSITY Vs. FORWARD CURRENT**